

Identity# 01151 Name STRIKE BAG GERMICIDAL CLEANER 1oz

Section 1

Manufacturer's Name - Genlabs (Formerly General Chemical Corp.)
Address - 5568 Schaefer Ave. Emergency Phone (Chemtree) 1-(800)-424-9300
City - Chino State - CA Phone - (909) 601-8451
Contact Person - Robert Munion

Date Prepared- 1/21/00

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components	CAS#	OSHA PEL	ACGIH TLV	Weight%
DIDECYL DIMETHYLAMMONIUM CHLORIDE	717-51-5	NONE	NONE	

Notes:

VOC Content- <10 g/L

Section 3 - Physical/Chemical Characteristics

Boiling Point- >212 F
Vapor Pressure - Not Tested
Vapor Density - Not Tested
Solubility in Water- 100%
Appearance and Odor BLUE, HERBAL ODOR

Specific Gravity- .995
Melting Point - Not Tested
Evaporation Rate - Not Tested

Section 4 - Fire and Explosion Hazard Data

Flash Point- None
LEL- Not Tested
pH- 6.5-8.5
NFPA Hazard Rating - H F R S
(0- Least, 4- Extreme) 1 0 0 0

Flammable Limits - Not Tested
UEL- Not Tested
DOT# NONE

Extinguishing Media- None
Special Fire Fighting Procedures- NONE

Unusual Fire and Explosion Hazards- NONE

Section 5 - Reactivity Data

Stability - Stable
Conditions to Avoid - None
Incompatible Materials to Avoid- Anionic Materials, STRONG OXIDIZERS
Hazardous Decomposition or Byproducts- CO, CO2
Hazardous Polymerization- NONE
Conditions to Avoid- None

Health Hazard Data

Routes of Entry
Inhalation? - Possible
Skin? - Possible
Ingestion? - Possible
Health Hazards - Same as Signs and Symptoms of Exposure
Note - All Chemicals Incorporated into this Product are Found on the TSCA Inventory List.
OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None. # 01151

Eyes - Burning Sensation

Skin- Irritant

Ingestion- Toxic, Do Not Induce Vomiting, Call Physician

Inhalation- Dizziness, Headaches, Irritation

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes- Flush With Water For 15 Minutes, If Irritation Persists, Call Physician.
Skin- Wash Off With Soap & Water, If Irritation Persists, Call Physician

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Get Person to Fresh Air If Unconscious, Call Physician

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Soak up with inert, absorbent material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations.
Precautions To Be Taken in Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CFR 1910.134, is required.

Ventilation Local Exhaust - If Available Special - None
Mechanical - If Available Other - None

Protective Gloves- Plastic or Rubber, Chemical Resistant

Eye Protection- Glasses, Goggles

Other Protective Clothing or Equipment- None

Work Hygiene Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements

Formulation#	1151 ¹
Virucidal Efficacy	
HIV-1 (AIDS Virus)	X
Herpes Simplex	Types 1&2
Influenza	A/Brazil
Rubella	X
Vaccinia	X
Fungicidal Efficacy	
Trichophyton mentagrophytes	X
Aspergillus niger	X
Candida albicans	X
Bactericidal Efficacy	
Pseudomonas aeruginosa	X
Staphylococcus aureus	X
Staphylococcus aureus (MRSA)	X
Salmonella choleraesuis	X
Brevibacterium ammonagenes	X
Chlamydia psittaci	X
Enterobacter aerogenes	X
Enterobacter cloacae	X
Escherichia coli	X
Escherichia coli (Methicillin resistant)	X
Klebsiella pneumoniae	X
Klebsiella pneumoniae (Methicillin resistant)	X
Pseudomonas cepacia	
Proteus vulgaris	X
Salmonella schottmuelleri	X
Salmonella typhi	X
Salmonella typhimurium	X
Serratia marcescens	X
Serratia marcescens lab isolate	
Shigella dysenteriae	X
Shigella sonnei	X
Shigella flexneri	X
Staphylococcus epidermidis	X
Streptococcus faecalis	X
Streptococcus faecalis (Methicillin resistant)	X
Streptococcus pyogenes	X